. Schubert 1946-1947.

...eum. Cambridge.
...ium, Soc.
...a.

...07 - through 8177.

Bycroin — my notes
97, 95, 111-113, 120-123, 134-136, 294-298, 366
432-436, 439-483, 642-690, 693, 694, 735-
4 to 4 box labeling file

Dr. B. G. Schubert 1946-1947.

Br. Museum. Cambridge.
Kew, Linn. Soc.
Geneva.

Nos. 7607 - through 8177.

B.M. 11/5/46 Isopan f.18 1/2 sec.

1 Euphar advena Ait. H.K 7607

11/6/46 7608

2 Viola pubescens Ait.

3 " " " (so labeled)

check lighting in these 6 especially only lamp used

2 negatives of no. 3

4 Viola striata Ait.

5 Viola cucullata Ait.

6. Viola obliqua Ait.

7. Viola sagittata Ait sheet #1

8 " " " #2

9 " " " #3

10 Hypericum elatum Ait. 7614

11 Hypericum pyramidatum Ait.

12 Hypericum Bartramium Ait

13 Hypericum (not Bartramium as labeled)

14 Clematis ochroleuca Ait

15 Clematis (labeled) ochroleuca - Clayt. 296)

16 Rudbeckia parvifolia Nutt. (numbered 15)

17 Solidago rugosa Mill. (numbered 16)

18 Eupatorium ramosum Mill. 7622.

19 Nymphaea odorata Ait.

20 " " — Clayt. No. 534

21 Gaura strictum Ait.

~~21 Oenothera sinuata (not type)~~

~~Two photos unnumbered Papaver (Miss Rob) Exposed~~

22 Aster patens Ait.

23 " spectabilis Ait.

24 " radula Ait.

25 " salicifolius x see note on Hypericum sheet got typical of see.

26 " aestivus Ait.

27 ✓ Aster puniceus Ait.
28 ✓ " divergens "
29 ✓ Solidago reflexa Ait.
30 ✓ " odora Ait.
31 ✓ " " 2nd sheet
32 ✓ " gigantea Ait.
33 ✓ " serotina Ait.
34 ✓ " procera Ait.
35 ✓ " " " 2nd sheet
36 ✓ " multiradiata "
37 ✓ " laevigata "
38 ✓ " virgines "
39 ✓ " fistulosa Miller
40 ✓ " arguta Ait.
41 ✓ ✓ " " nemoralis Ait
42 ✓ ✓ " " " 2nd sheet
43 ✓ ✓ Coreopsis aurea " (mit- 258)
44 ✓ ✓ " angustifolia Ait.
45 ✓ ✓ " " " 2nd sheet
46 ✓ ✓ Rudbeckia digitata Mill.
47 ✓ ✓ " fulgida Ait.
48 ✓ ✓ " " " 2nd sheet
49 ✓ ✓ Helianthus trachelii folius Miller
50 ✓ ✓ " ramosissimus Mill.
51 ✓ ✓ Crataegus glandulosa Ait.
52 ✓ ✓ " elliptica Ait.
53 ✓ ✓ Crataegus pyrifolia Ait.
54 ✓ ✓ " " " 2nd sheet
55 ✓ ✓ " flava "
56 ✓ ✓ " parvifolia "

Plus x 7 file pack wrong folder speed need 32 instead of 16

Plus x 7 file pack

57 ✓ Clematis ochroleuca (Isaac #14 & #15)
58 ✓ Rosa virginiana Mill.
59 ✓ Clematis canadensis Mill.
60 ✓ Pyrus angustifolia Pit.
61 ✓ Tilia ~~Caroliniana~~ pubescens Mill. Pit
62 ✓ Rosa blanda Pit. 1st sheet
63 ✓ " " " 2nd sheet
64 ✓ " " " 3rd sheet
65 ✓ Sida glabra Mill. [2 negs.] [Isopan ↓
66 ✓ " sericea Mill.
67 ✓ " angustifolia Mill.
68 ✓ " ulmifolia Mill.
69 ✓ Crataegus cordata Pit. 1st sheet
70 " " " 2nd sheet
71 Tilia ~~americana~~ L. (Gronovian basis)
72 " americana Pluk. ex. plant part of basis of L's T. amer. 8.9.244 B 97
73 ✓ " caroliniana Mill. Chelsea Garden Pl.
74 ✓ " caroliniana - upper portion may be part of Ben - check
75 ✓ " caroliniana - Catesby's own plant [lower portion
76 ✓ " americana (Pluk. pl.) check to see if clear
77 Rafinesque's handwriting
78 Hedysarum longifolium Nutt.
79 Stona repens Loureiro (Type?)
80 Hedysarum distortum Rudd. 7684
81 " bifoliatum Nutt.
82 Robinia - Fl. Virg. p. 82
83 " rosea Mill.
84 Hedysarum (purpureum Mill.) Fortunum Sw 7688
85 " triphyllum Canadense [Cornut 44] Chelsea Garden
86 Desmod. Barclayi Ben. H. [Eg. Barclay] 7690

87 OK Meibomia [1731 Vera Cruz Houstoun]
88 OK Begoniella Kalbreyeri Oliver
89 OK Begonia Triana isotype
90 OK " sp. [Pavon] Huaya guil
91 OK Begoniella? Lehmann 3316
92 OK Casparya antioquiensis Triana 3041
93 OK " Grewiaefolia " 3055
94 OK Begonia peruviana A&C Tutin 1256
95 OK " Raicheukensis Tutin 5-31a
96 √ Vaccinium vigatum Ait.
97 √ " amoenum Ait.
98 √ " venustum "
99 √ " diffusum "
100 √ " tenellum "
101 √ " fuscatum "
102 √ " pallidum "
103 √ " augustifolium "
104 √ Lysimachia stricta Ait.
105 √ Aster umbellatus Mill.
106 √ Ilex opaca } neo. witter is type 1943 v Film pack
107 √ " "
108 √ Styrax laevigatum
109 √ " grandifolium
110 √ Fraxinus caroliniana
111 √ Begonia Jemmani } authentic
112 √ " " } ~~but not~~ type Redone with type label
113 √ " roraimensis Tutin (type-no.)
114 √ Andromeda polifolia & latifolia marked:
115 √ Clethra alnifolia & (Ilex fl. virg 3:p.34)
116 √ Clethra alnifolia (Clayton 114

117 Clethra alnifolia β (thus with Chapman spec.)
118 " " " (Hort Kew 1777) Plus F.P. X
119 " paniculata Ait.
120 Begonia Cinnabarina Hook. Printed
121 " humilis Sagraeana
122 " clavadrophila Fabis
123 " Bridgesii
124 Ilex paleus Ait (cf. #22)
125 " salicifolius Ait.
11/21/46
126 Ilex foliolosa
127 " glabra Torr.
128 " paniculata "
129 Monarda oblongata
130 Prunella canadensis Hill.
131 " carolinensis Hill.
132 Prunella nova-anglia Hill.
133 " " " "
134 Begonia acutifolia Sagraeana
135 " glabra Hook.
136 " acuminata

137 Pancratium corymbosum Printed
138 " Cunninghamii Lindl. "
139 " corymbosum Forster "
140 Villaresia mucronata Ruiz "
141 " dichotoma Ruiz "
142 " corymbosa " "
143 " Congonha " "
144 " uniperulata Ruiz "

145	Hiptage sericea K. & Perr.	Printed
146	" " " " "	"
147	" velutina Miers	"
148	Polygala Fendleri Bak. f.	"
149	Celastrus Senegalensis	"
150	Salacia vitiginea Hance	"
151	Salacia africana Vahl.	"
152	" togoensis Bak. f.	"
153	Heisteria parvifolia	"
154	Olacaceae x Baillonii J. Moore	"
155	" Hallieriana J. Moore	"
156	Heisteria acuta Engler	"
157	" Calastrina	"
158	" Pauliffera Smith, var. Ell.	"
159	" Longipedis Ell.	"
160	" maynensis Spr.	"
161	Ximenia angustifolia Linn.	"
162	" Championiana Miers	"
163	" Cordata Engler	"
164	" racemosa Jacq. var.- Linn.	"
165	" affinis Miers!	"
166	Leretia grandifolia Miers!	"
167	" Senegalensis	"
168	Poraqueiba Guianensis Wright	"
169	Barneria Hookeriifolia	"
170	Poraqueiba Surinamensis	"
171	" sericea Mart.	Printed
172	Valeriana Fendleri, var. Palmeri	
173	Valerian pilosum R.P.	
174	" " (Chyt. spec.)	

175 Hapinus [illegible] (Clay. spec.)
176 Panicularia [illegible]
177 Festuca [illegible] (Lyall 3150)
178 #515 " [illegible] Nutt.
179 #514 " [illegible] (Macken 1552)
180 #513 " [illegible] Bolander
181 #512 " [illegible] Bolander
182 Bromus [illegible] Nutt. MSS. printed
183 #511 " [illegible] printed
184 #510 " [illegible] printed
185 #509 " (Ceratochloa) [illegible] Nutt. printed
186 #508 " [illegible]
187 #507 " [illegible] printed
188 #506 Hordeum [illegible] printed
189 #505 " [illegible] printed
190 #503 D. [illegible] printed
191 #502 Hordeum [illegible] printed
192 #501 " [illegible] 1796 printed
193 #500 " [illegible] printed
194 #499 Elymus [illegible] printed
195 #498 " [illegible] printed
196 #497 " [illegible] printed
197 #496 " [illegible] printed
198 #495 " [illegible] printed
199 #494 " [illegible] printed
200 #493 " [illegible] printed
201 [illegible] printed
202 [illegible] printed
203 #492 [illegible] Printed
204 #491 [illegible] printed

205 " 190 Elodea Nuttallii (Wight & Gray. printed
206 Leucothoe Catesbaei Gray printed
207 " 189 " Carolinianum Bth printed
208 " 188 " Rhododendron Chapmanii Gray (Chapm. Fl. ed. 1, 96) printed
209 " 187 " Catawbiense printed
210 (?) " Kalmia glauca, Hamilt. in Don
211 " " cuneata Hamilt.
212 " " latifolia Hamilt. in Don
213 " " ovalifolia " " "
214 " " parviflora Buch.-Ham.
215 " " salicifolia Willd (Chapm. Fl. ed. 1, 96) (Chapm. Fl.)
216 " " ciliata
217 (illegible)
218 Impatiens aduncum - fl. x1 Gif with #1
219 Viola pubescens - clip. calyx x1 " #2
220 " " " " " enclosing part of capsule
221 " " " " " #3
222 " striata calyx, x1 #4
223 " cucullata calyx, x1 #5
224 " obliqua calyx, x1 #6
225 " sagittata calyx x1 x1 #7, 8, 9
226 7614 Hypericum Elodes, " " " See #10
227 " pyramidatum calyx, x1 #11
228 " Bartramium " " #12
229 Clematis ochroleuca inflo. x1 #14
230 " " " " " Clmpt 296 #15
231 " " fruiting head x1 " "
232 Antennaria parvifolia x1 #16
233 Solidago rugosa Mill. calyx x1 #17
234 Eupatorium rotundifolium Linn. clip x1 #18

235	Asplenium ebenoides Pt. x1	# 29
236	Pteris aquilina fils fa. x1	# 31
237	Aster patens incomp. x1	# 32 = # 134
238	" spectabilis " "	# 33
239	" radula Ait. " "	# 34
240	" salicifolius Ait. " "	# 35
241	" acuminus Ait. " "	# 36
242	" junceus Ait. " "	# 37
243	" divergens Ait. " "	# 38
244	Solidago rugosa Ait. " "	# 39
245	" altera Ait. " "	# 30
246	" " " " "	also no. 2 and Ait. type # 31
247	" strigosa Ait. " "	# 32
248	" arguta Ait. " "	# 33
249	" glomerata Ait.	# 34
250	" " " #2	# 35
251	" graminifolia	# 36
252	" lanceolata Ait.	# 37
253	" virgaurea " incomp x1	# 38
254	" fistulosa Mill. " "	# 39
255	" arguta Ait. " "	# 40
256	" serotina (Kent type.)	# 41
257	" " Ait. type.	# 42
258	Conyza ivifolia x1	# 43
259	" argentea x1	# 44
260	" canadensis Ait. (Ait. not C. argentea	# 45
261	Erechtites hieracifolia Raf. incomp. x1	# 46
262	" fistulosa Ait. adult. " "	# 47
263	" " " " #2 " "	# 48
264	Helianthus mollifolius, incomp. x1	# 49

365 #51 Crataegus [illegible] x1
366 " " (a second fl.) x1
367 #51 Crataegus flavicoma, infl. x1
368 #52 " ellipsiana fr. x1
369 #53 " pyrifolia fr. x1 shrub 1
370 #54 " " fl. x1 " 2
371 #55 " flava calyx, x1
372 " " fr., x1
373 #56 " parvifolia leaf, x1
374 #57 Amelanchier oligocarpa [illegible]
375 #58 Rosa virginiana fl. & fr., x1
376 #60 Ligustrum amygdalifolia
377 Rosa blanda calyx x1 fl #62
378 #62 " " fl x1 (portion)
379 " " lower lf surf x1
380 #63 " " fr. & shrub x 2 fl #63
381 #64 " " leaf surf of shrub 2 fl #64
382 #65 Ribes glossa capsule from portion x1
383 #66 " rotundifolia x1
384 #67 " rotundifolia
385 #68 " oxyacanthoides [illegible]
386 " " [illegible]
387 #69 Crataegus coccinea fr x1 shrub 1
388 " " fl x1
389 #70 " " fls shrub 2
390 #80 Viola pedata bicolor fr. x1
391 #84 " pedatifida fr. [illegible]
392 " " [illegible]
393 #86 Rosa Bucklejibrida fl. x1
394 #88 Spiraea Kallopsis x1

#x1

296 #90 Begonia (sp? Capsule) sp. ♀ #90
297 "
298 #93 " graecissolia
299 #95 " Reichenheimia Tubio
300 #96 Vaccinium virgatum ♂ sp. x1
301 "
302 #97 " " " ♀ sp. x1
303 "
304 #98 " " " ♂ sp. x1
305 "
306 #99 " " " ♀ sp. x1
307 " " " imflo. x1
308 #100 " tenellum imflo x1
309 " " " ♀ sp. x1
310 #101 " punctatum " " ♂ sp.
311 " " imflo. x1
312 #102 " pallidum " " "
313 " " ♀ sp. x1
314 #103 " sanguisorbifolium imflo x1
315 " imflo x1
316 #105 Rubus ursinus Kell. imflo. x1

317 Eudemonia latidens ♀ sp. (sic Lower Mts.
318 Alsomitra (Loasa) [complete leaf] [related to Cucurb. A. macrocarpa]
319 Lupinus grayi folius? p. 32, left hand spec.
320 " [second spec. from left]
321 " [third " " " "]
322 " [specimen of Vaccinium virgatum]
323 Diervilla [p. 40 Mt. Dall.
324 Linnaea [p. 40 Mt. Dall. & Stanley]

325 Eupatorium aromaticum
326 " perfoliatum [Hook. Fl. p. 111
327 " fasciculatum [" " "
328 " pilosum [" " " "
329 " incl. [" " "
330 " fœnic. rubrum incl. [p. 116 Mk. Bost.
331 " " "
332 Eclipta alba [p. 119 Mk. Bost.]
333 Eurybia radiata (Aromatic) [Fl. Bost. p.
334 ~~Hypericum "ignota 346" [Mk. Bost. p. 60~~
335 Hedyotis graudiflora
336 Hypericum "ignota 346" [Mk. Bost. p. 60
337 Ludwigia decurrens - [illegible]
338 "Polygonum ? 338" [Mk. Bost. p. 79
339 (Polygonum 364 [" " " "
340 " " 41" [" " " "
341 Rudbeckia purpurea [illegible] [" " " 57
342 " " laciniata [" " " "
343 " incarnata [illegible] [" " " "
344 " " [illegible] [" " " "
345 Stachelina elegans incl. [" " " 101]
346 Statice caroliniana, infla x 1 [" " " "
347 Aletris aurea, infla. x 1 [" " " 112
348 Cirsa flomerata [" " " 113
349 Hydrocotyle umbellata [illegible] [" " " 100
350 " " (Carpentaria) [" " " "
351 Caroxylon, H. Bost. "no name" [" " " "
352 "Lycopsis ? 120" [" " " 100
353 Uvularia sessilifolia
354 Lysimachia quadrifolia

p. 231 [illegible]

[illegible] 360 are from Hk. Sloane vol. 151
[Edition Med. Sinica Exercitus Vol. III]

353	Desmodium	p. 262 Hk. Pelican
354	"	p. 263 " "
355	"	p. 268 " "
356	"	p. 270 " "
357	"	p. 275 " "
358	"	" 265 " "
359	"	" 266 " "
360	"	" 267 " "
361	"	" 279 " "

[illegible] originally titled) [illegible] transition of Lespedeza

362 [illegible] from Hk. Sloane vol. 146 p. 15[illegible]

363 Vicia from Hk. Sloane vol. 96, p. 101 [illegible]

364 Desmodium " " " " " p. 62 [illegible]

365 Galega from Hk. Sloane vol. 131, p. 114 [illegible]

366 Apocynum (n. sp.) Pelican 1850 [illegible]

367 Polygala cruciata Clayt. 157 " "

368 Lespedeza acanthifolium Mill. " "

369 " scandens Mill. " "

370 " punctifolium Mill " "

371 [illegible] (Lespedeza sp.) " "

372 Betula excelsa Ait. " "

373 Fagus ferruginea Ait. " "

374 Pinus aquatica var. [illegible] " "

375 " " " indivisa " "

376 " " " " "

377 Salicornia virginica Clayt. No. 592

378 " Hk. Gron

Kew 12/10/46

379 Hypericum punctatum Lam.

380 " mutilum "

381 " Clayii [illegible] [illegible] = 380

382	Lingelsheimia macrothyrsa [= foliolosa Hook. f. 381]	Kinchinjunga
383	" gracilescens	
384	" Middlebrookii	
385	" laxicola	
386	" rigidifolium	
387	" tricuspis	
388	" Bentleyi	
389	" Jamesiana	
390	" Hincesiana type	
391	" " [Hincesiana 1240 Kew]	
392	" Balansae [type	
393	" " [Balansae 598]	
394	" platycaula	
395	" Wichii	
396	" Glazioui	
397	" gracile	
398	Salvinosma Lechleri type	
399	" " 2nd sheet (from type Kew)	
400	Chaetachme lutea - type	
401	Acanthylis Thouarsii - Pancher 85	
402	" grandiflora - Jamaica	
403	" Lewisiensis type	
404	" oligocarpa - Sandwich	
405	" Meduseae " 4005	
406	" " " " (from type Kew)	
407	" Miflora Hartweg 625	
408	" " " " (from type cast)	
409	" " Silvia's Collection	
410	Salvinia Ricantha - drawing [only material]	
411	Splanchnocystis Spruceana type	

412 Gyalocardigma ferruginum
413 " Lalicinum
414 " polycephalum
415 "
416 Cyperites gracilis
417 Leonarica Martii
418 Tillandsia dactylina
419 "
420 "
421 Quillaricarpon
422 Ilex acuminata var. Bracei
423 " Jamesonii
424 " chachapoyensis
425 "
426 " glutinosa var. cinerea
427 " ilicifolia var Fargesii
428 " Schinziana
429 " nummularia
430 " dicrana var Finckeni
431 " Palmeri
432 Begonia coccinea Hook
433 "
434 " Riedelii
435 " platanifolia
436 "
437 Ribes Ranksiana
438 " Seebachyi var
439 Begonia longisetosa
440 " [illegible]
441 "

[illegible] Herbarium

Type
Type
Type

442	Begonia	Hachyptera	Mt. obtuse
443	"	Fraxbellii	obtuse ♂
444	"	"	" ♀
445	"	Faithii Ku.	
446	"	Rauwenhoffii	
447	"	Staudtii	
448	"	Limbata	
449	"	"	Mt. obtuse
450	"	subdimidiata	
451	"	picturata	♂
452	"	ochracea	♂
453	"	plicata	♀
454	"	multiflora	
455	"	Cunninghamii	Mt. obtuse ♂ 1
456	"	"	" " ♂ 2
457	"	"	" " ♂ 3
458	"	Burtoniana	" " ♂ 1
459	"	"	" " ♂ 2
460	"	Mannii	" " ♂ 1
461	"	"	" " ♂ 2
462	"	Armstrongiana	" " ♂ 1
463	"	"	" " ♂ 2
464	"	Thozetii Duncan	Mt. obtuse
465	"	Lophoptera Rolfe	
466	"	Pearcei	♂ 1
467	"	"	♂ 2
468	"	Gilliesii	♂ 1
469	"	"	♂ 2
470	"	Hillebrandia	Cotyledon

471 B. Meyeri Lindley Herb

472	B. stigmosa	type	Lindley Hb.
473	B. bicuspidata	"	" "
474	" uncata	"	" "
475	" papillosa	"	" "
476	" crassicaulis	"	" "
477	" villosa	"	" "
478	" reptans Hk. Hartweg 463		" "
479	" Lindleyana Lieb.		" "
480	" Brighteii A.DC.		" "
481	" reticulata Parker		" Herb.
482	" falcifolia Liebm.		" "
483	" Cayaya montana		" "

B.M. 12/27/46

484 Acrostichum platyneuron [Clayt. no. 1411]

485 Asplenium ebenum [Hb. Linn.]

486 Polypodium gigantea Bak. fil

487 [209] Dicm. barbatum XI - [Cf. # 209]

488 [208] " Brownii XI [Cf. # 208]

[207]

490 [205] Elaphoglossum Petersii

491 [204]

492 [203] Hedw. imbricata X 1 [Cf. # 203] printed

[200] Dicm. Muehlenbergianum X 1 [Cf. # 200]

[199]

[198]

[197] 7801

[196]

[195]

[194]

[193]

[illegible] 16 [illegible] x1 [cf. #192] Printed –

191 glaberum x1 [cf. 191]

[illegible] x1 [illegible]

190 " " " " [fruit]

189 [illegible] x1 [cf. 189 [left hand spec "1."

188 sericeum x1 [cf. 188]

507 187 " paucilobum x1 [cf. 187]

508 186 " rudifloram x1 (from type, not from #186)

509 185 " lacrigatum x1 (cf. #185)

510 184 " mariludicum x1 (cf #184 left-hand piece)

511 183 " canescens x1 (cf #183)

[illegible] 181 [illegible]

[illegible] 180 [illegible]

[illegible] 179 [illegible]

[illegible] 178 [illegible]

[illegible] 180 [illegible]

[illegible] End of Dec. 16.

Geneva Jan. 7, 1947

517 M. sericeum Ph. Pa. no. 10769

518 " " " #95

519 Mal. laxiflorum cotype

520 Mem. Wydleri " type coll

521 " " 2nd sheet

522 " " (with note of Boott)

523 " " (from Brazil

524 " " (from Surinam

525 " mollicomum & glaberum Schlecht

526 M. pachyleurum & latifolium & intermedia

527 " " " "

528 " Pacpigianum annotated by Schlechtendal

529 " procumbens ?

530 D. glabrum (Mich.) DC (exhb. Richard)
531 " " coll. Leblond
532 " " " Schrader
533 " Guianense v. microcarpa
534 D. Herveleri
535 " " (cannot decide as D. leiocarpum)
536 D. linearifolium (Vargas in numer. krachtens)
537 "
538 D. costaricense (D. Maxonii)
539 D. dalbergioides Hook
540 " discolor var. villosa
541 Meib. aspera (D. elatum Humb.)
542 D. dictyota var. Michelii
543 " aspera " Servettii Br. Guian
544 " " " " Fl. " coll Pittier
545 " " " " " " " "
546 " " " " (label written by Desv.)
547 D. cuneum (closest spec.)
548 " " (D. brevatum) f
549 " " fr.
550 D. ciliatum var. albiflora
551 " cuneum (Dominican Repub.
552 " barbatum var. caeruleo-violaceum Wright 2313
Jam.
553 D. barbatum var. caeruleo-violaceum H.H. Smith 277
554 " " [leg. Casaretto]
555 " " [" Poeppig]
556 " " [annotated Desv.]
557 " " [leg Hostmann 604] Br. Guy.
558 " " [" " 524]

559	Hexalonia cayennis v. β lepinscula				
560	D. oblongi folium Baker fig 7 figure				
561	D. elliptica forma genuina Baker				
562					
563	Hedyosmum [of Baron]				
564	" " "				
565	" " "				
566	" " "				
567	" " "				
568	" " "				
569	" " "				
570	" " "				
571	" " "				
572	" " "				
573	" " "				
574	" " "				
575	" " "				
576	" " "				
577	" " "				
578	Ilex. acuminata (Rev.) DC		Hb.	Printed	Printed
	" linearium " "		"	"	70.72
580	" Alemani (sheet #2)	printed	"	"	70.44
581	" stipularum DC	Printed	"	"	70.45
582	" aquifolium Link?	Printed	"	"	70.47
583	" sambucina DC.	Printed	"	"	70.53
584	" racemiflora	Printed	"	"	70.58
585	" var humboldtiana	Printed	"	"	7062
586	" " var ? hirtella	sheet #2	"	"	62
587	" molle	sheet #2	"	"	63
588	" spicata ? obtusifolium				67

589	S. tenuicaulium &c.		Hb. Prod.	= 68
590	S. parvifolium	sheet = 2	Hb. Prod.	= 86
591	" latifloreum	" " 4	" "	= 87
592	" ? elegans		" "	= 89
593	" ? multiflorum		" "	= 90
594	S. angulatum	sheet = 2	" "	= 91
595	S. pilosiusculum	" " 1	" "	= 92
596	" confertum		" "	= 93
597	" rufescens		" "	= 95
598	" Cuscutiforme	sheet = 2	" "	= 96
599	" trichocaulum	" " 1	" "	= 97
600 8048	"	" " 2	" "	"
601	" pauciceratium		" "	= 99
602	" Kunthianum	sheet = 2	" "	100
603	" laxum	" " 3	" "	= 105
604	" oxyphyllum	" " 1	" "	108
605	" "	" " 2	" "	"
606	" Jaloscapum		" "	107
607	" sparteoides		" "	113
608	" xylorhizum BH (type - ?)	destroy photo of this which has wrong Calif. coll. type.		
609	" pseudoamplifolium	sheet #1		
610	" " "	" #2		
611	" pailaphyllum var. albomaculatum			
612	"	" [with mixed label probably]		
613	" pulchrum Grand Sheet 1			
614	" " "			
615	" rotundifolium [Coll. Roof.]			
616	"	[Coll. Moser]		
617	" scoparium [Coll. Gray]	[Coll. 3337]		
618	" strictum [Coll Benj. Simon]			

619	D. stictum	[coll. prob. Elliott]
620	" stenosiphonium	[Elliott]
621	" viridiflorum	[coll Palisot de Beauvois]
622	" "	" " "
623	" "	[coll Fraser]
624	" Nuttallii	
625	" "	
626	" panic. var pubescens	
627	" " " "	A.H. Curtis coll
628	" " " "	[Balandier]
629	" Boottii (Torr.) Schindl.	[Rugel]
630	" " " "	[Mrs Austin]
631	Diapensia Lapponica	[coll Linn]
632	Desm. Boottii	[coll Elliott]
633	" "	[" Tauriscia]
634	" "	[Poeppig - Peru]
635	" "	[Bosc]
636	M. Hellerii Peyr	(Sonoma Harst)
637	D. glutinosum	(Raf.)
638	D. Caripense (Beauverd) - authentic!	
639	M. Michelsiana Schindl.	sheet 1
640	" " "	" 2
641	" glabella f. "	(D. laevigatum!)
642	Begonia Balansiana	Prod. Hb.
643	" " B. mitellifolia	" "
644	" falciloba	Spruce " "
645	" aconitifolia	" "
646	" maculata	sheet 1 " "
647	" "	" 2 " "
648	" "	" 3 " "

in the P.[illegible] material — specimen ½ of capsule + 9 ff in about 40 pkts.

649	B.	incana	sheet = 1		Hb.	Prod.
650	"	"	" " 2		"	"
651	"	rotacea			"	"
652	"	glandulosa			"	"
653	"	peperomiifolia	sheet = 1		"	"
654	"	"	" " 2		"	"
655	"	maculata	" " 1		"	"
656	"	"	" " 2		"	"
657	"	"	" " 3		"	"
658	"	"	" " 4		"	"
659	"	"	" " 5		"	"
660	"	grisea			"	"
661	"	bidentata	Rudi. sh. 1		"	"
662	"	"	" " 2		"	"
663	"	" simulans			"	"
664	"	heterophylla			"	"
665	"	quadrivalvis 4 pkts			"	"
666	"	Schlumbergiana			"	"
667	"	lapifraga	sheet = 1		"	"
668	"	"	" " 2		"	"
669	"	neglecta & canescens	= 1		"	"
670	"	" "	" = 2		"	"
671	"	"			"	"
672	"	Schottiana			"	"
673	"	rapicola A. DC.		printed	"	"
674	"	gracillima			"	"
675	"	tenuicaulis			"	"
676	"	rubricaulis	sheet = 1		"	"
677 8125	"	"	" 2		"	"
678	"	erythrocarpa			"	"

679	B. bidentata		Coel Reddi	Emmal Herb	
680	" brachypoda		Ok Schuh	#1 Pasture	Coel
681	" "		sheet	#2 "	"
682	" cyathophora		"	1	Emmal Herb
683	" "		"	2	" "
684	" echinospala				" "
685	" falciloba		Printed		" "
686	" fissurarum		CDC		" "
687	" ludicra				" "
688	" Thiemei		Sheet 1		" "
689	" "		"	2	" "
690	" Tonduzii				" "
691	Populus			Coel Ref	" "
692	" grandidentata			" "	" "

B.M. 1/21/44

695 Marica pallidosa (Fo RC7.)

696 Melanthium lectum Rit. sheet 1

697 " " " sheet 2

Linn Soc 1/24/47

698 Trillium atropurpurea × 1/5

" " " × 1

699 Polygonatum pubescens × 1/5

" " " × 1

700 Carex Pensylvanica × 1/5 "sheet 2"

701 " " " " " 3"

702 Cinna arundinacea × 1/5

703 " " × 1

704 Elsea americana × 1/5

705 Verbena carolina × 1/5

706 Iris "no. 7" in L. 4 b. annotated by Fang as not Iris sinensis Lindl.

707 Lycopodium obtusifolium × 1/5

708 " " × 1

709 Liriodendron Tulipifera × 1/5

710 " Decandrum × 1/5

711 Cyrilla racemiflora sheet 1 × 1/5

712 " " " 2 × 1/5

713 " " portion of sheet 2, × 1 (F)

714 " " " " " 1, × 1 (F)

715 Juncus nodosus (2) ("no. 16") × 1

716 " " ("no. 17") × 1

717 " " " " × 1/5

718 " " " 16 × 1/5

719 Prunus pumila (no. 15) × 1/5

720 " " " 16 × 1/5

721 " " " 17 × 1/5

722 " " " 18 × 1/5

723 Thalictrum purpurascens (no. 14) × 1/5

724 " " no. 15

725 Pedicularis canadensis × 1/5

726 Chelone glabra × 1/5

727 " " × 1

728 Bucnera canadensis × 1/5

729 " " × 1/5

730 Gerardia laeta × 1/5

731 " " × 1 (muffle)

732 " " × 1 Monifi

733 " pinnata × 1 imp

734 " " × 1/5

735 Salvia urticifolia sheet 4 × 1/5

736 [illegible] ×1/5

737 Robinia hispida ×1/5

755. Begonia Rio de Janeiro.

(1)

For enlargements of specimens in Lewt. Herb. see also:

no. 317 Andromeda Catesbaei
318 Athanasia obovata
319 Liatris graminifolius ?
320 Liatris [p.32 yft sp. spec.
321 " [2nd spec from yft.
322 " [2 spec. at same sheet
323 Orontium [p. 40
324 Scirpus cuspidatus [p. 42 det 57B
325 Eupatorium scandens
326 " perfoliatum [p. 44
327 " fistulosum [p. 45
328 " pilosum (coo) " "
329 " " (inflo) " "
330 " fusco-rubrum (inflo) " 46
331 " " " yf.

(2)

332 Galega spicata (p. 49)
333 Geradia setacea (terminalis) p. 51
334 Hedysarum grandiflorum
335 Hypericum "ignota 326" (p. 60)
336 Ludwigia decurrens Calyx
337 "Origanum ? 295" (p. 79)
338 "Origanum 364" "
339 " " 48 " "
340 Prasium purpureum (Calyx) p. 87
341 " " yf "
342 " incarnatum yf "
343 " " Calyx "
344 Stachelina elegans corol "101
345 Statice caroliniana " 101 p. 112
346 Aletris aurea "
347 Cimicifuga glomerata p. 112

(3)

348 Sophora nitida (Upper portion) p. 100
349 " " (lower ") "
350 Gentopsis "no name" "
351 "Spurge Tribe" "
351 Euphorbia Corollata

Photographs

C. M. Rob
    2 Papaver
G. Taylor
    3 Potamogeton
A. Hebden
    1 Rhododendron
W. W. Smith
    4 Primula
J. G. Hawkes
    26 Solanum
H. L. Chakravarty
    1 Cucurbitaceae
Taylor & Handy
    7 miscel.

Extracts from letter from Lorentz

Hamburg Dec 10, '46

"As Prof. Mangenot wrote, in Munich all seems to be lost. Thus, after the nearly entire destruction of the museum in Bahrain, that you have seen probably for yourself, Munich and Hamburg are evidently the only great herbaria left within the former german territory. The Berlin will not be reached by them to the least degree, and just these valuable collections with innumerable types have been lost forever."

"However as you will see from the attached list considerable parts of the Lichenium have survived the cruel period of destruction, although the complete lots of the Lyncosporae Coccocarpideae and almost all the Cephalodiny have (in view of Engler) a highly regrettable. But we hope that the future time the Russian museums visited formerly by us will have to us".

From Hamburg: K. v. Visiani Bonafe
Herb. in Herb.

Oldest parts of herb.

1. Herbarium generale

Cryptogamae (p.p.) & Gymnospermae
ca. 250 packs
Dicotyledones & Coniferae
ca 1050 packs
Algae ca 140 "
Fungi " 350 "
Lichenes " 200 "
Muscini " 180 "
Filices " 200 "

2. Special colls not incorp. in Herb. general

Schimper Abyssinia 50 packs
Muldbrad Africa " "
Unter " ca. "
Herb. Todaro, esp. A. Sicilian
Australia, ca 250 packs
Preiss Australia ca 50 "
Meebold " etc. ca 70 "
Clarus Borneo ca 90 "
Herb. Magnus (except Fungi) 400 "
" Hamburg. (local) ca. 200 "
Buchinger Afr. + Teneriffa 70 "
Ehrenberg Arabien. 20 "
Schleiden Afrika ca 30 "
Buchtien Bolivien, Eggers Chile,
Amor Philippinen, Bornmüller, Kerner,

Wiesen (choice), several complete
ex Hb. Brandis, Schleicher D-Cent.
Rumelien Libirien ad Caspica 1 Sp.
Europe Centr. exc. ca. 50 P.
North America 40 P
Boreal-Alpin Provinces ca 70 P.

The latest mentioned packet was kindly
complicated by the Russian authorities in
exactly twenty days

All Cyperaceae ca. 70 packs
" Juncaceae " 40 "
Liliaceae to Amaryllidaceae " 80 "
Dioscoreaceae to Orchidaceae ca 170 packs
Leguminosae ca. 220 packs
Salicaceae to Ericaceae (exc. Ilex) ca 300 "

all material of the Hb. Brandis

Herb. Brandis Indica ca. 90 packs
" Prahl, Schleswig-Holstein ca 10 packs
" Jaap " " " " "
" Simon " " " " "

Under the debris of our invoices about 17 packs
are lying with the following contents:
Hb. Mineur: Cactaceae, Tiliaceae, Dipterocarpaceae,
Tricoccae, Calycanthaceae, Bixaceae, Nov.
Teratologicum.

378